

<b>Material Safety Data Sheet</b> May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements.		U.S. DEPARTMENT OF LABOR Occupational Safety and Health Administration (Non-Mandatory Form) Form Approved OMB No. 1218-0072			
<b>Identity (As Used on Label and List)</b> <b>Pyrok Acoustement 40</b>		<i>Note:</i> Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.			
<b>SECTION I</b>					
Manufacturer's Name <b>Pyrok, Inc.</b>		Emergency Telephone Number <b>914-777-7070</b>			
Address (Number, Street, City, State and Zip Code)		Telephone Number for Information <b>404-607-9765</b>			
<b>400 Colony Square – Suite 1630</b>		Date Prepared <b>05/27/97</b>			
<b>Atlanta, GA 30361</b>		/Signature of Preparer (optional)			
<b>SECTION II – Hazardous Ingredients/ Identity Information</b>					
Hazardous Components (Specific Chemical Identity: Common Name (s))		OSHA PEL	ACGIH TLV	Other Limit Recommended	% (optional)
<b>Portland Cement</b>	<b>CAS# 65997-15-1</b>	<b>10 mg/M<sub>3</sub></b>	<b>10 mg/M<sub>3</sub></b>		<b>50%</b>
<b>Hydrated Lime</b>	<b>CAS# 1305-62-0</b>	<b>5 mg/M<sub>3</sub></b>	<b>5 mg/M<sub>3</sub></b>		<b>25%</b>
<b>SECTION III – Physical/Chemical Characteristics</b>					
Boiling Point		<b>N/A</b>	Specific Gravity (H <sub>2</sub> O=1)		
Vapor Pressure (mm Hg)		<b>N/A</b>	Melting Point		<b>N/A</b>
Vapor Density (AIR=1)		<b>N/A</b>	Evaporation Rate (Butyl Acetate = 1)		
Solubility in Water		<b>Yes</b>	Wet Density Avg.		<b>69.5 pcf</b>
Appearance and Odor					
<b>Grey, slurry and odorless</b>					
<b>SECTION IV – Fire and Explosion Hazard Data</b>					
Flash Point (Method Used)		Flammable Limits	LEL	UEL	
<b>None</b>		<b>None</b>			
EXTINGUISHING MEDIA					
Special Fire Fighting Procedures					
<b>Totally incombustible, approved for fire protection by UNDERWRITERS LABORATORIES</b>					
Unusual Fire and Explosion Hazards					
<b>None</b>					

<b>SECTION V – Reactivity Data</b>			
Stability	Unstable		Conditions to Avoid
	Stable	<b>Yes</b>	
Incompatibility (Materials to Avoid)			
Hazardous Decomposition or Byproducts			
Hazardous Polymerization	May Occur		Conditions to Avoid
	Will Not Occur	<b>X</b>	
<b>SECTION VI – Health Hazard Data</b>			
Route (s) of Entry:	Inhalation?	Skin?	Ingestion?
Health Hazards (Acute and Chronic)			
<b>None</b>			
Carcinogenicity:	NTP?	IARC Monographs?	OSHA Regulated?
Signs and Symptoms of Exposure			
<b>None</b>			
Medical Conditions Generally Aggravated by Exposure			
Emergency and First Aid Procedures			
Rinse with clean water			
<b>SECTION VII – Precautions for Safe Handling and Use</b>			
Steps to Be Taken in Case Material is Released or Spilled			
<b>No special steps required. Clean with clean water.</b>			
Waste Disposal Method			
<b>Treat like all cementitious waste disposal methods.</b>			
Precautions to Be Taken in Handling and Storing			
<b>Dust masks should be worn when handling this product and other products generating air born dust.</b>			
Other Precautions			
<b>SECTION VIII – Control Measures</b>			
Respiratory Protection ( <i>Specify Type</i> )			
<b>Normal dust masks</b>			
Ventilation			
Protective Gloves	Local Exhaust	Special	<b>none</b>
	Mechanical (General)	Other	<b>Moving air</b>
Protective gloves	<b>Optional</b>	Eye Protection	<b>Optional</b>
Other Protective Clothing or Equipment			
<b>none</b>			
Work/Hygienic Practices			

(reproduced)