

<b>Material Safety Data Sheet</b> May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements.		U.S. DEPARTMENT OF LABOR Occupational Safety and Health Administration (Non-Mandatory Form) Form Approved OMB No. 1218-0072	
<b>Identity (As Used on Label and List)</b> <b>Star Silent Adhesive</b>		<i>Note:</i> Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.	
<b>SECTION I</b>			
Manufacturer's Name <b>Pyrok, Inc</b>		Emergency Telephone Number <b>914-777-7070</b>	
Address (Number, Street, City, State and Zip Code) 121 Sunset Road Mamaroneck, NY 10543		Telephone Number for Information <b>914-777-7070</b>	
		Date Prepared September 01, 2007	
		Signature of Preparer ( <i>optional</i> ) Howard Podolsky	
<b>SECTION II – Hazardous Ingredients/ Identity Information</b>			
Hazardous Components (Specific Chemical Identity: Common Name (s))		OSHA PEL	ACGIH TLV
		Other Limit Recommended	% (optional)
Gypsum Plaster		CAS # 7778-18-9	
<b>SECTION III – Physical/Chemical Characteristics</b>			
Boiling Point	undetermined	Specific Gravity (H <sub>2</sub> O=1)	N/A
Vapor Pressure (mm Hg)	N/A	Melting Point	N/A
Vapor Density (AIR=1)	N/A	Evaporation Rate (Butyl Acetate = 1)	N/A
Solubility in Water      yes			
Appearance and Odor    gray slurry, odorless.			
<b>SECTION IV – Fire and Explosion Hazard Data</b>			
Flash Point (Method Used)	Flammable Limits	LEL	UEL
None	None	None	None
EXTINGUISHING MEDIA Use fire fighting methods suitable to surrounding conditions.			
Special Fire Fighting Procedures			
<b>Non-Combustible</b>			
Unusual Fire and Explosion Hazards			
Product does not present an explosion hazard.			

**SECTION V – Reactivity Data**

Stability	Unstable		Conditions to Avoid
	Stable	yes	N/A
Incompatibility (Materials to Avoid) N/A			
Hazardous Decomposition or Byproducts N/A			
Hazardous Polymerization	May Occur		Conditions to Avoid
	Will Not Occur	X	

**SECTION VI – Health Hazard Data**

Route (s) of Entry:	Inhalation?	Skin?	Ingestion?
	Yes	No	No
Health Hazards (Acute and Chronic) Acute: irritation of mucous membranes			
None			
Carcinogenicity:	NTP?	IARC Monographs?	OSHA Regulated?
N/A	N/A	N/A	N/A
Signs and Symptoms of Exposure Irritation of eyes, nose , cough.			
Medical Conditions Generally Aggravated by Exposure None			
Emergency and First Aid Procedures Supply fresh air if inhaled. Wash with soap and water and rinse thoroughly if contact with skin. Do not use solvents or thinners. Rinse eyes for several minutes Under running water. Then consult a doctor. If swallowed, drink plenty of water and provide fresh air. Do not induce vomiting. Consult a doctor.			

**SECTION VII – Precautions for Safe Handling and Use**

Steps to Be Taken in Case Material is Released or Spilled None	
Waste Disposal Method Allow left over plaster to dry or thicken and dispose with site waste. In accordance with local regulations. Materials should not be emptied in drains.	
Precautions to Be Taken in Handling and Storing Store in dry conditions. Store remains in original containers. Ensure good ventilation and exhaustion in the workplace.	
Other Precautions None	

**SECTION VIII – Control Measures**

Respiratory Protection ( <i>Specify Type</i> ) Normal dust masks.		
Ventilation Exhaust fans may be necessary, when mixing in enclosed areas.		
Protective Gloves <b>Not necessary.</b>	Mechanical (General) None	Other
	Eye Protection safety glasses	Other
Other Protective Clothing or Equipment Optional	Eye Protection Safety glasses	
Work/Hygienic Practices Minimize dust when mixing.		
Work/Hygienic Practices		

<b>Material Safety Data Sheet</b> May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements.		U.S. DEPARTMENT OF LABOR Occupational Safety and Health Administration (Non-Mandatory Form) Form Approved OMB No. 1218-0072			
<b>Identity (As Used on Label and List)</b> <b>Star Silent Base Coat Plaster</b>		<i>Note:</i> Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.			
<b>SECTION I</b>					
Manufacturer's Name <b>Pyrok, Inc</b>		Emergency Telephone Number <b>914-777-7070</b>			
Address (Number, Street, City, State and Zip Code) 121 Sunset Road Marmaroneck, NY 10543		Telephone Number for Information <b>914-777-7070</b>			
		Date Prepared September 01, 2007 Signature of Preparer ( <i>optional</i> ) Howard Podolsky			
<b>SECTION II – Hazardous Ingredients/ Identity Information</b>					
Hazardous Components (Specific Chemical Identity: Common Name (s))		OSHA PEL	ACGIH TLV	Other Limit Recommended	% (optional)
1,2 Benzl sothiazol –2		cas 2634-33-5		<0.0008	
2 Brthyl – 2H Kothiazol		caj 2082 – 20 –4		< 0.0008	
<b>SECTION III – Physical/Chemical Characteristics</b>					
Boiling Point	undetermined	Specific Gravity (H <sub>2</sub> O=1)	N/A		
Vapor Pressure (mm Hg)	N/A	Melting Point	N/A		
Vapor Density (AIR=1)	N/A	Evaporation Rate (Butyl Acetate = 1)	N/A		
Solubility in Water	Plaster is soluble.				
Appearance and Odor	White gypsum plaster. No odor.				
<b>SECTION IV – Fire and Explosion Hazard Data</b>					
Flash Point (Method Used)	Flammable Limits	LEL	UEL		
None	None	None	None		
EXTINGUISHING MEDIA					
Use fire fighting methods suitable to surrounding conditions.					
Special Fire Fighting Procedures					
<b>Non-Combustible</b>					
Unusual Fire and Explosion Hazards					
Product does not present an explosion hazard.					

**SECTION V – Reactivity Data**

Stability	Unstable		Conditions to Avoid
	Stable	yes	N/A
Incompatibility (Materials to Avoid) N/A			
Hazardous Decomposition or Byproducts N/A			
Hazardous Polymerization	May Occur		Conditions to Avoid
	Will Not Occur	X	

**SECTION VI – Health Hazard Data**

Route (s) of Entry:	Inhalation?	Skin?	Ingestion?
	Yes	No	No
Health Hazards (Acute and Chronic) Acute: irritation of mucous membranes			
None			
Carcinogenicity:	NTP?	IARC Monographs?	OSHA Regulated?
N/A	N/A	N/A	N/A
Signs and Symptoms of Exposure Irritation of eyes, nose , cough.			
Medical Conditions			
Generally Aggravated by Exposure None			
Emergency and First Aid Procedures Supply fresh air if inhaled. Wash with soap and water and rinse thoroughly if contact with skin. Do not use solvents or thinners. Rinse eyes for several minutes Under running water. Then consult a doctor. If swallowed, drink plenty of water and provide fresh air. Do not induce vomiting. Consult a doctor.			

**SECTION VII – Precautions for Safe Handling and Use**

Steps to Be Taken in Case Material is Released or Spilled None			
Waste Disposal Method Allow left over plaster to dry or thicken and dispose with site waste. In accordance with local regulations. Materials should not be emptied in drains.			
Precautions to Be Taken in Handling and Storing Store in dry conditions. Store remains in original containers. Ensure good ventilation and exhaustion in the workplace.			
Other Precautions None			
<b>SECTION VIII – Control Measures</b>			
Respiratory Protection ( <i>Specify Type</i> ) Normal dust masks.			
Ventilation Exhaust fans may be necessary, when mixing in enclosed areas.			
Protective Gloves <b>Not necessary.</b>	Mechanical (General) None		Other
	Eye Protection safety glasses		Other
Other Protective Clothing or Equipment Optional		Eye Protection Safety glasses	
Work/Hygienic Practices Minimize dust when mixing.			
Work/Hygienic Practices			

<b>Material Safety Data Sheet</b> May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements.		U.S. DEPARTMENT OF LABOR Occupational Safety and Health Administration (Non-Mandatory Form) Form Approved OMB No. 1218-0072			
<b>Identity (As Used on Label and List)</b> <b>Star Silent Base Finish Coat Plaster</b>		<i>Note:</i> Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.			
<b>SECTION I</b>					
Manufacturer's Name <b>Pyrok, Inc</b>		Emergency Telephone Number <b>914-777-7070</b>			
Address (Number, Street, City, State and Zip Code) 121 Sunset Road Mamaroneck, NY 10543		Telephone Number for Information <b>914-777-7070</b>			
		Date Prepared September 01, 2007			
		Signature of Preparer ( <i>optional</i> ) Howard Podolsky			
<b>SECTION II – Hazardous Ingredients/ Identity Information</b>					
Hazardous Components (Specific Chemical Identity: Common Name (s))		OSHA PEL	ACGIH TLV	Other Limit Recommended	% (optional)
1,2 Benzl sothiazol –2		cas 2634-33-5		<0.0006	
2 Brthyl – 2H Kothiazol		caj 2082 – 20 –4		< 0.0006	
<b>SECTION III – Physical/Chemical Characteristics</b>					
Boiling Point	undetermined	Specific Gravity (H <sub>2</sub> O=1)	N/A		
Vapor Pressure (mm Hg)	N/A	Melting Point	N/A		
Vapor Density (AIR=1)	N/A	Evaporation Rate (Butyl Acetate = 1)	N/A		
Solubility in Water	Plaster is soluble.				
Appearance and Odor	White gypsum plaster. No odor.				
<b>SECTION IV – Fire and Explosion Hazard Data</b>					
Flash Point (Method Used)	Flammable Limits	LEL	UEL		
None	None	None	None		
EXTINGUISHING MEDIA					
Use fire fighting methods suitable to surrounding conditions.					
Special Fire Fighting Procedures					
<b>Non-Combustible</b>					
Unusual Fire and Explosion Hazards					
Product does not present an explosion hazard.					

**SECTION V – Reactivity Data**

Stability	Unstable		Conditions to Avoid
	Stable	yes	N/A
Incompatibility (Materials to Avoid) N/A			
Hazardous Decomposition or Byproducts N/A			
Hazardous Polymerization	May Occur		Conditions to Avoid
	Will Not Occur	X	

**SECTION VI – Health Hazard Data**

Route (s) of Entry:	Inhalation?	Skin?	Ingestion?
	Yes	No	No
Health Hazards (Acute and Chronic) Acute: irritation of mucous membranes			
None			
Carcinogenicity:	NTP?	IARC Monographs?	OSHA Regulated?
N/A	N/A	N/A	N/A
Signs and Symptoms of Exposure Irritation of eyes, nose , cough.			
Medical Conditions Generally Aggravated by Exposure None			
Emergency and First Aid Procedures Supply fresh air if inhaled. Wash with soap and water and rinse thoroughly if contact with skin. Do not use solvents or thinners. Rinse eyes for several minutes Under running water. Then consult a doctor. If swallowed, drink plenty of water and provide fresh air. Do not induce vomiting. Consult a doctor.			

**SECTION VII – Precautions for Safe Handling and Use**

Steps to Be Taken in Case Material is Released or Spilled None		
Waste Disposal Method Allow left over plaster to dry or thicken and dispose with site waste. In accordance with local regulations. Materials should not be emptied in drains.		
Precautions to Be Taken in Handling and Storing Store in dry conditions. Store remains in original containers. Ensure good ventilation and exhaustion in the workplace.		
Other Precautions None		
<b>SECTION VIII – Control Measures</b>		
Respiratory Protection ( <i>Specify Type</i> ) Normal dust masks.		
Ventilation Exhaust fans may be necessary, when mixing in enclosed areas.		
Protective Gloves <b>Not necessary.</b>	Mechanical (General) None	Other
	Eye Protection safety glasses	Other
Other Protective Clothing or Equipment Optional	Eye Protection Safety glasses	
Work/Hygienic Practices Minimize dust when mixing.		
Work/Hygienic Practices		

<b>Material Safety Data Sheet</b> May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements.		U.S. DEPARTMENT OF LABOR Occupational Safety and Health Administration (Non-Mandatory Form) Form Approved OMB No. 1218-0072	
<b>Identity (As Used on Label and List)</b> <b>Star Silent Panel</b>		<i>Note:</i> Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.	
<b>SECTION I</b>			
Manufacturer's Name <b>Pyrok, Inc</b>		Emergency Telephone Number <b>914-777-7070</b>	
Address (Number, Street, City, State and Zip Code) 121 Sunset Road Marmaroneck, NY 10543		Telephone Number for Information <b>914-777-7070</b>	
		Date Prepared September 01, 2007 Signature of Preparer ( <i>optional</i> ) Howard Podolsky	
<b>SECTION II – Hazardous Ingredients/ Identity Information</b>			
Hazardous Components (Specific Chemical Identity: Common Name (s))		OSHA PEL	ACGIH TLV
		Other Limit Recommended	% (optional)
None			
<b>SECTION III – Physical/Chemical Characteristics</b>			
Boiling Point	undetermined	Specific Gravity (H <sub>2</sub> O=1)	N/A
Vapor Pressure (mm Hg)	N/A	Melting Point	N/A
Vapor Density (AIR=1)	N/A	Evaporation Rate (Butyl Acetate = 1)	N/A
Solubility in Water Board is not soluble.			
Appearance and Odor Recycled Glass Beads, no odor			
<b>SECTION IV – Fire and Explosion Hazard Data</b>			
Flash Point (Method Used)	Flammable Limits	LEL	UEL
None	None	None	None
EXTINGUISHING MEDIA			
Use fire fighting methods suitable to surrounding conditions.			
Special Fire Fighting Procedures			
Non-Combustible under normal conditions.			
Unusual Fire and Explosion Hazards			
Product does not present an explosion hazard.			

**SECTION V – Reactivity Data**

Stability	Unstable		Conditions to Avoid
	Stable	yes	N/A
Incompatibility (Materials to Avoid) N/A			
Hazardous Decomposition or Byproducts N/A			
Hazardous Polymerization	May Occur		Conditions to Avoid
	Will Not Occur	X	

**SECTION VI – Health Hazard Data**

Route (s) of Entry:	Inhalation?	Skin?	Ingestion?
	Yes	No	No
Health Hazards (Acute and Chronic) Acute Irritation of mucous membranes.			
None			
Carcinogenicity:	NTP?	IARC Monographs?	OSHA Regulated?
N/A	N/A	N/A	N/A
Signs and Symptoms of Exposure None			
Medical Conditions			
Generally Aggravated by Exposure None			
Emergency and First Aid Procedures Supply fresh air if inhaled. Wash with soap and water and rinse thoroughly if contact with skin. Do not use solvents or thinners. Rinse eyes for several minutes Under running water. Then consult a doctor. If swallowed, drink plenty of water and provide fresh air. Do not induce vomiting. Consult a doctor.			

**SECTION VII – Precautions for Safe Handling and Use**

Steps to Be Taken in Case Material is Released or Spilled	
None	
Waste Disposal Method	
None, dispose of in accordance with local regulations for waste.	
Precautions to Be Taken in Handling and Storing	
Dust masks and eye protection should be worn when handling and cutting this product.	
Other Precautions	
None	

**SECTION VIII – Control Measures**

Respiratory Protection ( <i>Specify Type</i> )		
Normal dust masks		
Ventilation Exhaust fans may be necessary, when cutting in enclosed areas.		
Protective Gloves <b>Not necessary.</b>	Mechanical (General) None	Other
	Eye Protection safety glasses	Other
Other Protective Clothing or Equipment	Optional	Eye Protection Safety glasses
Work/Hygienic Practices		
Minimize dust when cutting panels		
Work/Hygienic Practices		